

**Table 11. Habitat/Vegetation Community Permanent Impacts**

Vegetation Type	Existing Acreage	Project Elements and Alternatives								Project Elements Total				Significant
		SMWWTP	Wet Weather Storage Ponds				Spray Fields	Recycled Water Line		Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives	
			Proposed Project <sup>1</sup>		Pond Alternative 1			Proposed Project	Pipe Alternative 1					
			Storage Ponds	Access Road	Storage Ponds	Access Road								
Open water	23.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.1	No
Non-vegetated channel	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Southern coast live oak riparian forest	2.1	0.0	0.0	<0.1	0.0	<0.1	0.0	0.0	0.0	<0.1	<0.1	<0.1	<0.1	Yes
Southern cottonwood-willow riparian forest	5.6	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	Yes
Mule fat scrub	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Southern willow scrub	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	<0.1	<0.1	Yes
Alkali meadow	3.7	0.0	0.9	0.1	0.9	0.1	0.0	0.0	0.0	1.0	1.0	1.0	1.0	Yes
Emergent wetland	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Coast live oak woodland	19.9	0.0	0.8	<0.1	0.0	<0.1	0.0	0.0	0.0	0.8	<0.1	0.8	<0.1	Yes
Coastal sage – chaparral transition	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Extensive agriculture – pasturelands	334.9	0.0	26.2	0.6	31.2	0.6	84.8	<0.1	1.4	111.6	116.6	113.0	118.0	Yes
Extensive agriculture – spray fields	215.9	0.0	0.0	0.0	0.0	0.0	94.6	<0.1	<0.1	94.6	94.6	94.6	94.6	Impact Neutral
Non-native grassland	4.8	2.7	0.0	0.0	0.0	0.0	0.0	<0.1	0.1	2.7	2.7	2.8	2.8	Yes
Rock outcrop	8.0	0.0	0.3	0.0	<0.1	0.0	0.7	0.0	0.0	1.0	0.7	1.0	0.7	Yes/ Impact Neutral <sup>2</sup>
Eucalyptus woodland	0.7	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.7	0.7	0.7	No
Disturbed habitat	6.9	0.0	0.0	0.0	0.0	0.0	1.1	<0.1	0.1	1.1	1.1	1.2	1.2	No
Urban/developed	14.2	7.7	0.0	<0.1	0.0	<0.1	0.6	<0.1	<0.1	8.3	8.3	8.3	8.3	No
<b>Total:</b>	<b>655.9</b>	<b>10.8</b>	<b>28.2</b>	<b>0.8</b>	<b>32.1</b>	<b>0.8</b>	<b>182.2</b>	<b>&lt;0.1</b>	<b>1.6</b>	<b>222.0</b>	<b>226.0</b>	<b>223.7</b>	<b>227.6</b>	

<sup>1</sup> Road Alternative 1 would result in the same impact footprint as the proposed project.

<sup>2</sup> Of the total impact to rock outcrop as a result of spray field reconfiguration, 0.2 acres are located within existing spray fields and thus the impact is considered impact neutral since the utility of the land is not changing. Impacts to the remaining rock out crop are significant.

**Table 12. Habitat/Vegetation Community Temporary Impacts**

Vegetation Type	Existing Acreage	Project Elements and Alternatives								Project Elements Total				Significance Under CEQA	
		SMWWTP	Wet Weather Storage Ponds				Spray Fields	Recycled Water Line		Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives		
			Proposed Project <sup>1</sup>		Pond Alternative 1			Proposed Project	Pipe Alternative 1						
			Storage Ponds	Access Road	Storage Ponds	Access Road									
Open water	23.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Non-vegetated channel	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	<0.1	<0.1	0.0	0.0	0.0	Yes
Southern coast live oak riparian forest	2.1	0.0	0.0	<0.1	0.0	<0.1	0.0	0.0	0.0	<0.1	<0.1	<0.1	<0.1	<0.1	Yes
Southern cottonwood-willow riparian forest	5.6	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	Yes
Mule fat scrub	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Southern willow scrub	7.6	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	Yes
Alkali meadow	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Emergent wetland	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	<0.1	<0.1	0.0	0.0	0.0	Yes
Coast live oak woodland	19.9	0.0	0.0	<0.1	0.0	<0.1	0.0	0.0	0.0	<0.1	<0.1	<0.1	<0.1	<0.1	Yes
Coastal sage – chaparral transition	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Extensive agriculture – pasturelands	334.9	0.0	0.0	0.6	0.0	0.6	0.0	5.6	4.2	6.2	6.2	4.8	4.8	4.8	No
Extensive agriculture – spray fields	215.9	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	Impact Neutral
Non-native grassland	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.7	0.7	0.6	0.6	0.6	Yes
Rock outcrop	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Eucalyptus woodland	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	No
Disturbed habitat	6.9	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	1.0	1.0	0.9	0.9	0.9	No
Urban/developed	14.2	0.0	0.0	0.1	0.0	0.1	0.0	3.0	3.0	3.1	3.1	3.1	3.1	3.1	No
<b>Total:</b>	<b>655.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.9</b>	<b>0.0</b>	<b>0.9</b>	<b>0.0</b>	<b>11.5</b>	<b>9.8</b>	<b>12.3</b>	<b>12.3</b>	<b>10.7</b>	<b>10.7</b>		

<sup>1</sup> Road Alternative 1 would result in the same impact footprint as the proposed project.

**Table 13. Jurisdictional Wetland and Waterways Permanent Impacts**

Jurisdictional Resource	Existing Acreage			Project Elements and Alternatives																								Project Elements Total																	
	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	SMWWTP			Wet Weather Storage Ponds									Spray Fields			Recycled Water Line						Proposed Project			Pond Alternative 1			Pipe Alternative 1			Both Alternatives											
				ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	Storage Ponds			Access Road			ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only									
							ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only																									ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only
ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only	ACOE/CDFG/RWQCB	CDFG Only	Waters of the U.S. – ACOE Only										
Open water	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-vegetated channel	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Southern coast live oak riparian forest	<0.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0
Southern cottonwood-willow riparian forest	3.9	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	<0.1	0.0	0.0	0.0	<0.1	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	<0.1	0.0	<0.1	<0.1	0.0	<0.1	<0.1	0.0	<0.1	<0.1	0.0	<0.1	<0.1	0.0	<0.1	<0.1	0.0
Mule fat scrub	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Southern willow scrub	7.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0
Alkali meadow	0.00	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.1	0.0	0.0	0.9	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	1.0			
Emergent wetland	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Non-wetland waters of the U.S./streambed	0.2	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0	<0.1	0.0	0.0			
Incised Drainage	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	0.0	0.0	0.0	<0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1			
<b>Total:</b>	<b>12.9</b>	<b>4.2</b>	<b>3.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>&lt;0.1</b>	<b>0.0</b>	<b>0.9</b>	<b>&lt;0.1</b>	<b>&lt;0.1</b>	<b>0.1</b>	<b>&lt;0.1</b>	<b>0.0</b>	<b>0.9</b>	<b>&lt;0.1</b>	<b>&lt;0.1</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>&lt;0.1</b>	<b>0.0</b>	<b>&lt;0.1</b>	<b>&lt;0.1</b>	<b>1.1</b>	<b>&lt;0.1</b>	<b>&lt;0.1</b>	<b>1.1</b>	<b>&lt;0.1</b>	<b>&lt;0.1</b>	<b>1.1</b>	<b>&lt;0.1</b>	<b>&lt;0.1</b>	<b>1.1</b>	<b>&lt;0.1</b>	<b>&lt;0.1</b>	<b>1.1</b>			

<sup>1</sup> Road Alternative 1 would result in the same impact footprint as the proposed project.



**Table 15. Mitigation Required for Permanent Impacts**

Vegetation Type	Project Elements Total				Offset - Acreage to be converted to pastureland <sup>1</sup>	Project Elements Total – Based on Off-set				Mitigation Ratio	Mitigation Acreage				Mitigation Location - Proposed Project			Impact Neutral – Proposed Project
	Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives		Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives		Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives	Wetland Creation - Onsite	Oak Woodland Preservation - Onsite	Pastureland Preservation - Onsite	
Southern coast live oak riparian forest	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1	<0.1	3:1	<0.1	<0.1	<0.1	<0.1	2.3	NA	NA	No
Southern cottonwood-willow riparian forest	0.1	0.1	0.1	0.1	NA	0.1	0.1	0.1	0.1	3:1	0.3	0.3	0.3	0.3				No
Southern willow scrub	0.0	0.0	<0.1	<0.1	NA	0.0	0.0	<0.1	<0.1	2:1	0.0	0.0	<0.1	<0.1				No
Alkali meadow	1.0	1.0	1.0	1.0	NA	1.0	1.0	1.0	1.0	2:1	2.0	2.0	2.0	2.0				No
Non-wetland waters of the U.S./Streambed	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1	<0.1	1:1	<0.1	<0.1	<0.1	<0.1				No
Incised Drainage – Within pasturelands <sup>1</sup>	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1	<0.1	1:1	<0.1	<0.1	<0.1	<0.1				No
Incised Drainage – Within spray field <sup>1</sup>	0.1	0.1	0.1	0.1	NA	0.1	0.1	0.1	0.1	NA	NA	NA	NA	NA				0.1
Coast live oak woodland	0.8	<0.1	0.8	<0.1	NA	0.8	<0.1	0.8	<0.1	2:1	1.6	<0.1	1.6	<0.1	1.6	No		
Extensive agriculture – pasturelands (SKR Habitat) <sup>2</sup>	28.5	28.5	28.5	28.5	13.0	15.5	15.5	15.5	15.5	1:1	15.5	15.5	15.5	15.5	NA	NA	58.6	No
Extensive agriculture – pasturelands <sup>2</sup>	83.1	88.1	84.5	89.5	0.0	83.1	88.1	84.5	89.5	0.5:1	41.6	44.1	42.3	44.8				No
Extensive agriculture – spray fields	94.6	94.6	94.6	94.6	NA	94.6	94.6	94.6	94.6	NA	NA	NA	NA	NA				94.6
Non-native grassland	2.7	2.7	2.8	2.8	NA	2.7	2.7	2.8	2.8	0.5:1	1.4	1.4	1.4	1.4				No
Rock outcrop – Within pasturelands <sup>3</sup>	0.8	0.5	0.8	0.5	0.6	0.2	0.0	0.2	0.0	0.5:1	0.1	0.0	0.1	0.0				No
Rock outcrop – Within spray field <sup>3</sup>	0.2	0.2	0.2	0.2	NA	0.2	0.2	0.2	0.2	NA	NA	NA	NA	NA				0.2
<b>Total:</b>	<b>211.9</b>	<b>215.8</b>	<b>213.4</b>	<b>217.3</b>	<b>13.6</b>	<b>198.3</b>	<b>202.3</b>	<b>199.8</b>	<b>203.8</b>		<b>62.5</b>	<b>63.3</b>	<b>63.2</b>	<b>64.0</b>				<b>2.3</b>

<sup>1</sup> Habitat impacts from reconfiguration of the spray fields, is the net area of conversion after subtracting out (i.e., offset) conversion of existing spray fields (which lie within core SKR habitat) to pasturelands within the eastern portion of APN 277-050-25 and southeastern portion of APN 277-050-26 per TNC agreements (i.e., 84.8 – 13.0 = 71.8 acres; refer to Table 11). Thus, the total impacts to SKR habitat for the proposed project are reduced to 28.5 – 13.0 = 15.5 acres.

<sup>2</sup> For purposes of this mitigation table, SKR habitat impacted within extensive agriculture - pastureland areas have been separated from those not occupied, as pasturelands occupied by SKR are expected to require a higher mitigation ratio than those not occupied. Summation of the extensive agriculture - pastureland rows will total the Extensive agriculture – pasturelands row in Table 11.

<sup>3</sup> For purposes of this mitigation table, habitat communities and/or jurisdictional features within existing spray field areas have been separated into those that are located within the existing spray fields and those within and/or surrounded by pasturelands. As stated within Section 4.3.1.5, permanent conversion of spray fields, and habitats/land features within the spray fields, to evaporation terraces, or temporary disturbance of spray fields are considered to be a neutral change. Whereas, conversion of non-irrigated pastureland (inclusive of rock outcrop surrounded by pasturelands) or grasslands to evaporation terraces or other permanent impact would be considered to be a significant impact.

**Table 16. Mitigation Required for Temporary Impacts**

Vegetation Type	Project Elements Total				Offset - Acreage to be converted to pastureland	Project Elements Total – Based on Off-set				Mitigation Ratio	Mitigation Acreage				Mitigation Location - Proposed Project							
	Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives		Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives		Proposed Project	Pond Alternative 1	Pipe Alternative 1	Both Alternatives	Wetland Restoration of Temporary Impacts - Onsite	Wetland Creation - Onsite	Oak Woodland Preservation - Onsite	Pastureland Preservation - Onsite	Reseed of Temporary Impacts- Onsite	Impact Neutral – Proposed Project		
Non-vegetated channel	<0.1	<0.1	0.0	0.0	NA	<0.1	<0.1	0.0	0.0	1:1	<0.1	<0.1	0.0	0.0	0.2	0.3	NA	NA	NA	No		
Southern coast live oak riparian forest	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1	<0.1	3:1	0.1	0.1	0.1	0.1						No		
Southern cottonwood-willow riparian forest	0.1	0.1	0.1	0.1	NA	0.1	0.1	0.1	0.1	3:1	0.3	0.3	0.3	0.3						No		
Southern willow scrub	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1	<0.1	2:1	<0.1	<0.1	<0.1	<0.1						No		
Emergent wetland	<0.1	<0.1	0.0	0.0	NA	<0.1	<0.1	0.0	0.0	2:1	<0.1	<0.1	0.0	0.0						No		
Coast live oak woodland	<0.1	<0.1	<0.1	<0.1	NA	<0.1	<0.1	<0.1	<0.1	2:1	0.1	0.1	0.1	0.1	0.1	0.1	<0.1	No				
Extensive agriculture – pasturelands	6.2	6.2	4.8	4.8	NA	6.2	6.2	4.8	4.8	1:1	6.2	6.2	4.8	4.8	NA	NA	NA	0.0	6.2	No		
Extensive agriculture – spray fields	1.1	1.1	1.1	1.1	NA	1.1	1.1	1.1	1.1	NA	NA	NA	NA	NA					NA	NA	0.7	No
Non-native grassland	0.7	0.7	0.6	0.6	NA	0.7	0.7	0.6	0.6	1:1	0.7	0.7	0.6	0.6					0.7	No		
<b>Total:</b>	<b>8.2</b>	<b>8.2</b>	<b>6.7</b>	<b>6.7</b>	<b>NA</b>	<b>8.2</b>	<b>8.2</b>	<b>6.7</b>	<b>6.7</b>		<b>7.4</b>	<b>7.4</b>	<b>5.9</b>	<b>5.9</b>	<b>0.2</b>	<b>0.3</b>	<b>0.1</b>	<b>0.0</b>	<b>6.9</b>	<b>1.1</b>		